## **CLAIM AMENDMENTS**

Claim 1 (original): A disposable single-use applicator assembly, comprising: a package containing a fluid to be dispensed; 2 an applicator for dispensing said fluid, said applicator having a handle and a fluid holding element at a first end portion of said handle; said fluid holding element being disposed in said package; 5 a hermetic closure between a first end portion of said package and an intermediate portion of said handle; a second end portion of said handle extending clear of said package; and said package having a breakable portion proximate to said hermetic closure to allow 9 said fluid holding element to be uncovered for use. 10 Claim 2 (original): A disposable single-use applicator assembly in accordance with claim 1 wherein said handle second end portion is relatively thin in one dimension and relatively wide in another dimension and includes a location for applying a name, trademark or other 3 identifier. 4 Claim 3 (original): A disposable single-use applicator assembly in accordance with claim 1 wherein said handle second end portion includes a hole or other opening to facilitate placement of said applicator assembly on a display hook. Claim 4 (currently amended): A disposable single-use applicator assembly in accordance with claim 1 wherein said handle second end portion includes means a grip enhancing surface. Claim 5 (original): A disposable single-use applicator assembly in accordance with claim 1 wherein said handle intermediate portion is defined by relatively flat first and second 2 surfaces and non-tapered sides that facilitate formation of said hermetic closure. 3

- Claim 6 (original): A disposable single-use applicator assembly in accordance with claim 1
- 2 wherein said hermetic closure comprises one of an adhesive bond or ultrasonic weld bond.
- Claim 7 (original): A disposable single-use applicator assembly in accordance with claim 1
- wherein said fluid holding element comprises a urethane foam material.
- 1 Claim 8 (original): A disposable single-use applicator assembly in accordance with claim 1
- 2 wherein said breakable portion is oriented at an oblique angle relative to said hermetic
- 3 closure.
- 1 Claim 9 (original): A disposable single-use applicator assembly in accordance with claim 1
- 2 wherein said breakable portion is spaced from said hermetic closure by a distance sufficient
- 3 to form a drip cup after said breakable portion is broken and said fluid holding element is
- 4 withdrawn from said package.
- l Claim 10 (original): A disposable single-use applicator assembly in accordance with claim 1
- 2 wherein said breakable portion comprises a strip seal.
- Claim 11 (original): A disposable single-use applicator assembly, comprising:
- a package adapted to hold a fluid to be dispensed;
- an applicator for dispensing a fluid, said applicator having a handle and a fluid
- 4 holding element at a first end portion of said handle;
- said fluid holding element being disposed in said package;
- an opening in said package adapted to accept introduction of a fluid into said
- 7 package and on to said fluid holding element;
- a hermetic closure between a first end portion of said package and an intermediate
- 9 portion of said handle;
- a second end portion of said handle extending clear of said package; and
- said package having a breakable portion proximate to said hermetic closure to allow
- 12 said fluid holding element to be uncovered for use.

- l Claim 12 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said handle second end portion is relatively thin in one dimension and relatively
- 3 wide in another dimension and includes a location for applying a name, trademark or other
- 4 identifier.
- 1 Claim 13 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said handle second end portion includes a hole or other opening to facilitate
- 3 placement of said applicator assembly on a display hook.
- 1 Claim 14 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said handle second end portion includes means a grip enhancing surface.
- 1 Claim 15 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said handle intermediate portion is defined by relatively flat first and second
- 3 surfaces and non-tapered sides that facilitate formation of said hermetic closure.
- 1 Claim 16 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said hermetic closure comprises one of an adhesive bond or ultrasonic weld
- 3 bond.
- 1 Claim 17 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said fluid holding element comprises a urethane foam material.
- Claim 18 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said breakable portion is oriented at an oblique angle relative to said hermetic
- 3 closure.
- Claim 19 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said breakable portion is spaced from said hermetic closure by a distance

- 3 sufficient to form a drip cup after said breakable portion is broken and said fluid holding
- 4 element is withdrawn from said package.
- Claim 20 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said breakable portion comprises a strip seal.
- 1 Claim 21 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said opening in said package comprises an open end portion of said package.
- Claim 22 (original): A disposable single-use applicator assembly in accordance with claim
- 2 21 wherein said package tapers outwardly from said hermetic closure to said open end
- 3 portion.
- Claim 23 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said package comprises one or more seamed material sheets.
- Claim 24 (original): A disposable single-use applicator assembly in accordance with claim
- 2 11 wherein said handle is apertured to facilitate attachment of said fluid holding element
- 3 thereto.
- 1 Claim 25 (original): A method for producing a disposable single-use applicator assembly
- 2 charged with a dispensable fluid comprising:
- 3 selecting an uncharged disposable single-use applicator assembly, comprising:
- a package adapted to hold a fluid to be dispensed;
- an applicator for dispensing a fluid, said applicator having a handle and a fluid
- 6 holding element at a first end portion of said handle;
- 7 said fluid holding element being disposed in said package;
- an opening in said package adapted to accept introduction of a fluid into said
- 9 package and on to said fluid holding element;
- a hermetic closure between a first end portion of said package and an intermediate

11	portion of said handle;
12	a second end portion of said handle extending clear of said package; and
13	said package having a breakable portion proximate to said hermetic closure to allow
14	said fluid holding element to be uncovered for use;
15	charging said applicator assembly with a dispensable fluid by introducing said fluid
16	into said package via said package opening; and
17	sealing said package opening.